CA Agencies

- CA-DTSC
 - New VI Guidance (10/2011) & Soil Gas Advisory (4/2012)
- EPA Region 9
 - Adopted Region 3 Screening Levels for TCE & PCE
- SF-RWQCB
 - ESLs still not updated from June 2011
- OEHHA
 - Still using out-dated CHHSLs (pre RAGS Part F)
- San Diego DEH
 - Soil gas sampling & analysis updated in SAM Manual

SWQCB: Low Threat Closure Policy



DTSC VI Guidance Changes

- Preference for Sub-slab Samples for Cl-VOCs
- Collect Exterior SG Samples At Source
- Repeated Sampling of Soil Gas
- Raising Sub-slab AF to 0.05 (5x stricter)
- Can now measure permeability, diffusivity and radon for attenuation factor
- Changes in Toxicity of Some Compounds

Defers to LUFT Manual for Petroleum HCs (p.38)



New TCE Standard

(As of October 2011)

- Residential (1e-6)
 - Indoor Air cancer: 0.43 ug/m3 (down from 1.2 ug/m3)
 - Indoor Air non-cancer: 2.1 ug/m3
 - Groundwater: 1.1 ug/L
- Commercial/Industrial (1e-6)
 - Indoor Air: 3.0 ug/m3 (down from 6.1 ug/m3)
 - Indoor Air non-cancer: 8.8 ug/m3
 - Groundwater: 7.4 ug/L

EPA R9 & DTSC Have Adopted OEHHA Has Not Adopted C/I



New PCE Standard (As of March 2012)

- Residential (1e-6)
 - Indoor Air cancer: 9.4 ug/m3 (up from 0.41 ~22x !!)
 - Indoor Air non-cancer: ~47 ug/m3
- Industrial (1e-6)
 - Indoor Air: ~47 ug/m3 (up 22x)
 - Indoor Air non-cancer: 8.8 ug/m3

EPA R9 Has Adopted
DTSC & OEHHA Have Not Adopted Either!



Soil Gas Allowed Levels

PCE in Soil Gas, Residential Receptor

	RBSL (ug/m ³)
DTSC Sub-slab	8.2
CHHSL	180
DTSC – Step 5	205
EPA R9	4,700
SAM Vapor Risk	5,500



DTSC Soil Gas Advisory Changes

Sampling

- Purge volumes: include dry bentonite
- Equilibration times: 2 hours for tubes
- Leak check specifications: report at VOC RL


Analysis

- Methods 8021, 8260, TO-14, TO-15, TO-17 ok
- Naphthalene preferred by TO-17
- Syringes & tedlar bags ok to use (in lieu of canisters)


Detailed Seminar by H&P on 9/25/2012




Low Threat Closure Policy VI Scenarios



LNAPL: 30'



Dissolved: 5' or 10'



Dissolved with O2



Low-Threat Closure Policy

Site Screens Out from VI Pathway if:

- If 30' of Biozone, NAPL screens out
 - Vertically & horizontally
- If 10' of Biozone, benzene up to 1000 ug/L
- If 5' of Biozone, benzene up to 100 ug/L

Bioattenuation zone: TPH-soil < 100 mg/kg

Note: O₂ not Required



Low-Threat Closure Policy The Power of Oxygen

If oxygen in soil gas >4%:

- Separation distance drops from 10' to 5' for benzene up to 1000 ug/L
- Soil gas SLs increase by 1000x!

TPH-soil required for all scenarios but O2 not



Allowable Benzene in GW 1e-6 risk, Residential Scenario

• DTSC VI Guidance:

0.084 ug/m3 / 0.002 = 0.42 ug/L / 0.2 = 0.21 ug/L

~5000x lower than Low Threat Value of 1000 ug/L

New EPA OSWER Guidance:

 $0.31 \text{ ug/m} \frac{3}{0.001} = 0.31 \text{ ug/L} \frac{1.5 \text{ ug/L}}{0.2}$

~3000 times lower than EPA-OUST Value!!



Soil Gas Allowed Levels

Benzene in Soil Gas, Residential Receptor, 1-6 Risk

	RBSL (ug/m ³)
DTSC Sub-slab	1.6
CHHSL	37
DTSC – Step 5	42
CA Low-Risk Policy: O2<4%	85
SAM Vapor Risk	1,100
CA Low-Risk Policy: O2>4%	85,000

Ambient levels: 1 to 10 ug/m3



Low-Threat Policy: A VI Pathway Game Changer

- Active Service Stations Excluded
- Sampling
 - Soil phase TPH needed from two depths
 - O2 in soil gas
- Soil Gas Analysis
 - Needed at all?
 - Benzene, ethylbenzene & naphthalene only
 - No longer worry about TPH??

VI Assessments Much Simpler & Less Expensive



Most Common VI Bloopers

- Unit Confusion
 - Assuming ug/L equivalent to ppbv
 - Assuming ug/m3 equivalent to ppbv
- Screening Levels
 - Comparing to generic screening levels
 - Not calculating correct levels
- Sampling & Analysis Errors
 - Program design: soil gas? GW? SS? IA?
 - Using wrong hardware
 - Using wrong analysis



Forthcoming VI Events

• H&P Seminar on new DTSC Guidances & Low-Threat Closure Policy: Irvine, 9/25/12

• AWMA VI Conference – Denver: Oct 3 & 4

- AEHS Conf San Diego: March 18, 2013
 - EPA all day workshop
 - Petroleum VI all day presentations
 - Half-day session on non-petroleum VI

